

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1589	("370"/\$.CCLS.) AND ((conversion OR convert\$4) NEAR2 (avoid\$4 OR avoidance OR unavoidable OR (un NEAR avoidable) OR without OR necessary OR unnecessary OR (un NEAR necessary))) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:12
S2	42	("370"/\$.CCLS.) AND ((conversion OR convert\$4) NEAR2 (avoid\$4 OR avoidance OR unavoidable OR (un NEAR avoidable) OR without OR necessary OR unnecessary OR (un NEAR necessary))).AB, TI. AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:12
S3	181	("370"/\$.CCLS.) AND ((conversion OR convert\$4) NEAR2 protocol NEAR2 (avoid\$4 OR avoidance OR unavoidable OR (un NEAR avoidable) OR without OR necessary OR unnecessary OR (un NEAR necessary))) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:15
S4	642	("370"/\$.CCLS.) AND ((conversion OR convert\$4) NEAR2 (avoid\$4 OR avoidance OR unavoidable OR (un NEAR avoidable) OR without OR unnecessary OR (un NEAR necessary))) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:16
S5	48	("370"/\$.CCLS.) AND ((avoid\$4 OR avoidance OR unavoidable OR (un NEAR avoidable) OR without OR unnecessary OR (un NEAR necessary)) NEAR2 protocol NEAR2 (conversion OR convert\$4)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:17
S9	125	("370"/\$.CCLS.) AND ((conversion OR convert\$4) NEAR2 (decision OR decid\$4)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:21
S10	16	("370"/\$.CCLS.) AND (protocol SAME ((conversion OR convert\$4) NEAR3 (decision OR decid\$4))) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:22
S14	139	("370"/\$.CCLS.) AND ((avoid\$4 OR avoidance OR unavoidable OR (un NEAR avoidable) OR unnecessary OR (un NEAR necessary)) NEAR2 (conversion OR convert\$4)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:32

S15	10	("370"/\$.CCLS.) AND (((conversion OR convert\$4) NEAR2 (avoid\$4 OR avoidance OR unavoidable OR (un NEAR avoidable) OR without OR unnecessary OR (un NEAR necessary))) AND ((conversion OR convert\$4) NEAR2 (decision OR decid\$4))) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:34
S16	148	((conversion OR convert\$4) NEAR2 (avoid\$4 OR avoidance OR unavoidable OR (un NEAR avoidable) OR without OR unnecessary OR (un NEAR necessary))) AND ((conversion OR convert\$4) NEAR2 (decision OR decid\$4))) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:37
S19	36	("370"/\$.CCLS.) AND ((avoid\$4 OR avoidance OR unavoidable OR (un NEAR avoidable) OR without OR unnecessary OR (un NEAR necessary)) ADJ2 protocol ADJ (conversion OR convert\$4)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:40
S23	56	((avoid\$4 OR avoidance) NEAR3 (unnecessary OR (un NEAR necessary)) NEAR3 (conversion OR convert\$4)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/29 17:49
S27	371	("370"/\$.CCLS.) AND ((minimiz\$9 OR minimum OR reduc\$4) NEAR2 (conversion OR convert\$4)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 12:59
S28	41	("370"/\$.CCLS.) AND ((minimiz\$9 OR minimum OR reduc\$4) ADJ (conversion OR convert\$4)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 13:00
S31	370	("370"/\$.CCLS.) AND ((conversion OR convert\$4) NEAR2 (internal)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 18:08
S32	29	("370"/\$.CCLS.) AND ((conversion OR convert\$4) NEAR2 (internal NEAR2 protocol)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 18:08
S33	42	("370"/\$.CCLS.) AND ((conversion OR convert\$4) NEAR3 (internal NEAR2 protocol)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 18:15
S35	21	("709"/\$.CCLS.) AND ((conversion OR convert\$4) NEAR3 (internal NEAR2 protocol)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 18:19

S38	87	((avoid\$4 OR avoidance OR unavoidable OR (un NEAR avoidable) OR without OR unnecessary OR (un NEAR necessary)) NEAR3 (conversion OR convert\$4) NEAR3 (internal)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 18:23
S40	14	("370"/\$.CCLS.) AND (("h.323") NEAR3 (tunnel\$4 OR encapsulat\$4 OR encapsulation)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 18:43
S46	859	("370"/\$.CCLS.) AND (((cornetnq) OR (cornet NEAR nq) OR (cornet NEAR n) OR ("h.323") OR ("h.450")) AND (tunnel\$4 OR encapsulat\$4 OR encapsualtion OR fram\$4)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 18:54
S47	296	("370"/\$.CCLS.) AND (((cornetnq) OR (cornet NEAR nq) OR (cornet NEAR n) OR ("h.323") OR ("h.450")) SAME (tunnel\$4 OR encapsulat\$4 OR encapsualtion OR fram\$4)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 18:54
S48	126	("370"/\$.CCLS.) AND (((cornetnq) OR (cornet NEAR nq) OR (cornet NEAR n) OR ("h.323") OR ("h.450")) WITH (tunnel\$4 OR encapsulat\$4 OR encapsualtion OR fram\$4)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 18:54
S49	23	(370/395.5,466,467,469.CCLS.) AND (((cornetnq) OR (cornet NEAR nq) OR (cornet NEAR n) OR ("h.323") OR ("h.450")) WITH (tunnel\$4 OR encapsulat\$4 OR encapsualtion OR fram\$4)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 18:56
S50	12	(370/395.5,466,467,469.CCLS.) AND (("h.323") SAME (("h.450") OR (cornetnq) OR (cornet NEAR nq) OR (cornet NEAR n))) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 19:05
S51	35	("370"/\$.CCLS.) AND (("h.323") SAME (("h.450") OR (cornetnq) OR (cornet NEAR nq) OR (cornet NEAR n))) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 19:05
S58	20	("370"/\$.CCLS.) AND (("h.323") SAME (ip NEAR3 (tunnel\$4 OR encapsulat\$4 OR encapsulation))) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/03/30 19:12
S63	69	("370"/\$.CCLS.) AND ((convert\$4 OR conversion) NEAR3 ((network\$4 OR three OR third) NEAR (layer OR stack))) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:09

S64	24	("370"/\$.CCLS.) AND (((convert\$4 OR conversion) NEAR3 ((network\$4 OR three OR third) NEAR (layer OR stack))) SAME ((datalink OR (data NEAR link) OR two OR second) NEAR (layer OR stack))) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:11
S68	43	("370"/\$.CCLS.) AND ((above OR upper) NEAR3 (layer OR stack) NEAR3 (convert\$4 OR conversion)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:16
S73	466	("370"/\$.CCLS.) AND ((convert\$4 OR conversion) SAME ((identical NEAR ((datalink OR (data NEAR link) OR two OR second) NEAR (layer OR stack)) OR ((network\$4 OR three OR third) NEAR (layer OR stack)))))) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:29
S80	38	("370"/\$.CCLS.) AND (identical NEAR3 (datalink OR (data NEAR link) OR two OR second OR mac) NEAR3 (layer OR stack)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:34
S82	14	("370"/\$.CCLS.) AND (identical NEAR3 ((network\$4 OR three OR third) NEAR (layer OR stack)) NEAR3 (layer OR stack)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:36
S90	85	("370"/\$.CCLS.) AND ((convert\$4 OR conversion OR tunnel\$4) NEAR3 (transport OR application) NEAR3 (layer OR stack)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:48
S91	108	("370"/\$.CCLS.) AND ((convert\$4 OR conversion) NEAR3 ((network\$4 OR three OR third) NEAR3 (layer OR stack))) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:50
S93	27	("370"/\$.CCLS.) AND ((convert\$4 OR conversion) NEAR3 (layer OR stack)).AB,TI. AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:53
S96	268	("370"/\$.CCLS.) AND ((convert\$4 OR conversion) NEAR32(application OR transport) NEAR2 (layer OR stack)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:55
S97	39	("370"/\$.CCLS.) AND ((convert\$4 OR conversion) NEAR2 (application OR transport) NEAR2 (layer OR stack)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:56
S98	54	("370"/\$.CCLS.) AND ((convert\$4 OR conversion OR tunnel\$4) NEAR2 (application OR transport) NEAR2 (layer OR stack)) AND @ad< "20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:57

S99	17	(370/395.5,466,467,469.CCLS.) AND ((convert\$4 OR conversion OR tunnel\$4) NEAR2 (application OR transport) NEAR2 (layer OR stack)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 12:58
S100	35	("709"/\$.CCLS.) AND ((convert\$4 OR conversion OR tunnel\$4) NEAR2 (application OR transport) NEAR2 (layer OR stack)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 13:05
S101	1597	("370"/\$.CCLS.) AND ((convert\$4 OR conversion OR tunnel\$4) NEAR2 (message)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 13:17
S102	66	("370"/\$.CCLS.) AND ((convert\$4 OR conversion OR tunnel\$4) NEAR2 ((setup OR (set\$6 NEAR up)) NEAR2 message)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 13:20
S103	29	("370"/\$.CCLS.) AND ((tunnel\$4) NEAR3 ((setup OR (set\$6 NEAR up) OR "h.323" OR "h.450") NEAR3 message)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 13:29
S105	35	("370"/\$.CCLS.) AND ("h.323" SAME "h.450") AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/02 13:31
S108	13	("370"/\$.CCLS.) AND ((tunnel\$4) NEAR3 (third OR intermediate OR intermediary) NEAR3 network) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 10:45
S109	299	("370"/\$.CCLS.) AND (tunnel\$4).AB, TI. AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 10:47
S110	30	("370"/\$.CCLS.) AND (tunnel\$4 AND (private NEAR2 network)).AB, TI. AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 10:47
S112	138	("370"/\$.CCLS.) AND (table SAME (protocol NEAR3 server)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 14:04
S113	22	("370"/\$.CCLS.) AND (table NEAR5 (protocol NEAR3 server)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 14:08
S114	32	("370"/\$.CCLS.) AND ((stor\$4 OR record\$4) NEAR3 (server NEAR3 protocol)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 14:09
S115	202	("370"/\$.CCLS.) AND (server ADJ protocol) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 14:15
S117	89	("370"/\$.CCLS.) AND ((client NEAR server NEAR protocol)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 14:18

S118	10	("370"/\$.CCLS.) AND ((associat\$4) NEAR3 (client OR terminal OR device OR node) NEAR3 server NEAR3 protocol) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 14:20
S127	86	((stor\$4 OR record\$4 OR entry OR table) NEAR5 (serving NEAR server)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 14:27
S128	18	("370"/\$.CCLS.) AND ((stor\$4 OR record\$4 OR entry OR table) NEAR3 server NEAR3 (serving)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 14:31
S131	37	((stor\$4 OR record\$4 OR entry OR table) NEAR3 ((access\$4 NEAR node) OR basestation OR (base NEAR station)) NEAR3 (serving)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 14:38
S132	40	((stor\$4 OR record\$4 OR entry OR table) NEAR3 ((access\$4 NEAR node) OR (access\$4 NEAR point) OR basestation OR (base NEAR station)) NEAR3 (serving)) AND @ad<"20020905"	US-PGPUB; USPAT	OR	ON	2009/04/03 14:39

4/ 3/ 2009 6:17:35 PM

C:\ Documents and Settings\ jsmith1\ My Documents\ EAST\ Workspaces\ ap10_525_778.wsp